

Vapormatic UK Ltd, Kestrel Way, Sowton Industrial Estate, Exeter, EX2 7LA Tel: +44 (0)1392 684000 www.vapormatic.com

UK Sales: Sales@vapormatic.com

Export Sales: VapormaticSales@vapormatic.com

New Product Update & Parts Information

Bulletin	UK	Export	Issued
1481	YES	NO	

Powerful, Lighter and Quieter.

Introducing Mighty Seven's New Power Tool Range, distributed by Vapormatic

Combining power with versatility, Vapormatic presents 14 cordless tools, all compatible with one battery.

M7 tools bring power to you. With powerful motors, multiple functions and durable construction, you know you can rely on your tools day in, day out. Whether it be for sanding, grinding, cutting to drilling, M7 meets your needs with ease. And with 3 years warranty on the tool bodies and 1-year on the batteries and chargers, you know you can shop M7 with confidence.






Tel: +44 (0)1392 684000 www.vapormatic.com

UK Sales: Sales@vapormatic.com

Export Sales: VapormaticSales@vapormatic.com

New Product Update & Parts Information

Bulletin	UK	Export	Issued
1481	YES	NO	



Battery

Part No	Part	Image	Technical Specifications
<u>VLC7262</u>	Battery Li-ion 18V 5Ah	18V Billians	 0.75 Kg LED charge indicator Quick charging time of 50 minutes Longer life Suitable for all cordless power tools including the light Battery made by SAMSUNG SDI cell

Battery Charger

Part No	Part	Image	Technical Specifications
<u>VLC1071</u>	Battery charger 18 V		 0.6 Kg 1.9m LED charge indicator Quick charging time of 50 minutes



Tel: +44 (0)1392 684000 www.vapormatic.com

UK Sales: Sales@vapormatic.com

Export Sales: VapormaticSales@vapormatic.com

New Product Update & Parts Information

Bulletin	UK	Export	Issued
1481	YES	NO	

Impact Wrenches

Part No	Part	Image	Technical Specifications
<u>VLA1713</u>	Impact wrench 1/2" 18V - 5.0Ah (battery and charger sold separately)		 2.55 Kg 1/2" Square drive Max Torque: 1220 Nm 3 levels of power for better machine control Instant stop when the trigger is released: prevents damage to the object and secures the user Forward/reverse selector on the sides LED to illuminate your work area Complete your tool with Battery (VLC7262) and Battery Charger (VLC1071)
<u>VLA1714</u>	Impact wrench 1/2" 18V - 5.0Ah (includes 2 batteries and 1 charger)		• 6.45 Kg
<u>VLA1715</u>	Compact impact wrench 1/2" 813Nm 18V (battery and charger sold separately)		 1/2" Square drive Max Torque: 813Nm 3 levels of power for better machine control Instant stop when the trigger is released: prevents damage to the object and secures the user Forward/reverse selector on the sides LED to illuminate the work area Complete your tool with Battery (VLC7262) and Battery Charger (VLC1071)
<u>VLA1716</u>	Compact impact wrench 1/2" 813Nm 18V (includes 2 batteries and 1 charger)		



Tel: +44 (0)1392 684000 www.vapormatic.com

UK Sales: Sales@vapormatic.com

Export Sales: VapormaticSales@vapormatic.com

New Product Update & Parts Information

Bulletin	UK	Export	Issued
1481	YES	NO	

Part No	Part	Image	Technical Specifications
<u>VLA1717</u>	Impact wrench 3/4" 1900Nm 18V (battery and charger sold separately)		 Individual part weight: 3.37 Kg RPM: 0-900 / 0-1000 / 0-1700 Blows Frequency: 0-1800 / 0-2000 / 0-2200 Bolt size: M10-M27 Max Torque: 1900Nm 3 levels of power for better machine control Instant stop when the trigger is released: prevents damage to the object and secures the user Forward/reverse selector on the sides LED to illuminate the work area Complete your tool with Battery (VLC7262) and Battery Charger (VLC1071)
<u>VLA1718</u>	Impact wrench 3/4" 1900Nm 18V (includes 2 batteries and 1 charger)		● 7.49 Kg

Drill

Part No	Part	Image	Technical Specifications
<u>VLA1719</u>	Drill / screwdriver 18V 5Ah (battery and charger sold separately)		 Individual part weight: 2.1Kg Speeds: High and low 23 release positions & a drilling position Impulse function, ideal for drilling on a painted surface and to replace damaged screws. Brushless motor Chuck diameter: 13mm RPM: 0-500 / 0-2000 Blows Frequency: 0 - 6500 / 0 - 32000 Cutting Capacities: Wood: 60mm / Metal: 13mm Chuck diameter: 13mm Max Torque: 90Nm Complete your tool with Battery (VLC7262) and Battery Charger (VLC1071)



Tel: +44 (0)1392 684000 www.vapormatic.com

UK Sales: Sales@vapormatic.com

Export Sales: VapormaticSales@vapormatic.com

New Product Update & Parts Information

Bulletin	UK	Export	Issued
1481	YES	NO	

Part No	Part	Image	Technical Specifications
<u>VLA1720</u>	Drill / screwdriver 18V (includes 2 batteries and 1 charger)		 23 release positions & a drilling position Speeds: high and low Impulse function, ideal for drilling on a painted surface and to replace damaged screws. Brushless motor Chuck diameter: 13mm RPM: 0-500 / 0-2000 Blows Frequency: 0 - 6500 / 0 - 32000 Cutting Capacities: Wood: 60mm / Metal: 13mm Chuck diameter: 13mm Max Torque: 90Nm
<u>VLA1722</u>	18V Cordless Hammer Drill driver (battery and charger sold separately)		
<u>VLA1721</u>	Impact drill/screwdriver 18V (includes 2 batteries and 1 charger)	18VE	



Tel: +44 (0)1392 684000 www.vapormatic.com

UK Sales: Sales@vapormatic.com

Export Sales: VapormaticSales@vapormatic.com

New Product Update & Parts Information

Bulletin	UK	Export	Issued
1481	YES	NO	

Impact Driver and Screwdriver

Part No	Part	Image	Technical Specifications
<u>VLA1723</u>	Impact screwdriver 1/4" 12V 2Ah (includes 2 batteries and 1 charger)		 1.8 Kg Hex Chuck Driver: 1/4" Bolt Size: M4~M12 RPM: 0~2200 Blows Frequency: 0~3000 IP20 Fast charging: only 30 minutes LED to illuminate the work area Brush Max Torque: 100Nm
<u>VLA1724</u>	Screwdriver 1/4" 18V 5Ah (battery and charger sold separately)		 1.28 Kg Hex Chuck Driver: 1/4" Bolt Size: M12 RPM: 0-1100 / 0-1900 / 0-2800 Blows Frequency: 0 - 1200 / 0 - 2350 / 0-3300 3 speeds selection (for more precision) Automatic shut-off function, reducing the risk of overloading and material damage Circular LED strips at the tip for better visibility of the work area. Brushless motor Max Torque: 203Nm Complete your tool with Battery (VLC7262) and Battery Charger (VLC1071)
<u>VLA1725</u>	Screwdriver 1/4" 18V 5Ah (includes 2 batteries and 1 charger)		Packaged weight: 5.35 Kg



Tel: +44 (0)1392 684000 www.vapormatic.com

UK Sales: Sales@vapormatic.com

Export Sales: VapormaticSales@vapormatic.com

New Product Update & Parts Information

Bulletin	UK	Export	Issued
1481	YES	NO	

Angle Grinder

Part No	Part	Image	Technical Specifications
<u>VLA1926</u>	18V angle grinder man-dead system (battery and charger sold separately) Turn around		 1.46 Kg Disk diameter: 125 mm RPM: 8,000 Spindle Size: M14 x P2.0 2 positions handle Spindle lock button for easy disc change 2-position on/off switch button (continuous on or "dead man's") The protection casing can be adjusted easily and without tools Consumables sold separately (Ø125 mm Grinding disc) Rated Torque: 570Nm Complete your tool with Battery (VLC7262) and Battery Charger (VLC1071)
<u>VLA1927</u>	18V angle grinder (includes 2 batteries and 1 charger)		• 5.34 Kg
<u>VLA1924</u>	18V angle grinder (battery and charger sold separately)		 Complete your tool with Battery (VLC7262) and Battery Charger (VLC1071) Consumables sold separately (Ø125mm grinding disc) Disk diameter: 125 mm RPM: 8,000 Spindle Size: M14 x P2.0 2 positions handle Spindle lock button for easy disc change 2-position on/off switch button (continuous on or "dead man's") The protection casing can be adjusted easily and without tools Rated Torque: 570Nm Consumables sold separately (Ø125mm grinding disc)



Tel: +44 (0)1392 684000 www.vapormatic.com

UK Sales: Sales@vapormatic.com

Export Sales: VapormaticSales@vapormatic.com

New Product Update & Parts Information

Bulletin	UK	Export	Issued
1481	YES	NO	

Part No	Part	Image	Technical Specifications
<u>VLA1925</u>	18V angle grinder (includes 2 batteries and 1 charger)		 Disk diameter: 125 mm RPM: 8,000 Spindle Size: M14 x P2.0 2 positions handle Spindle lock button for easy disc change 2-position on/off switch button (continuous on or "dead man's") The protection casing can be adjusted easily and without tools Rated Torque: 570Nm Consumables sold separately (Ø125mm grinding disc)

Reciprocating Saw

Part No	Part	Image	Technical Specifications
<u>/LA1930</u>	Cordless reciprocating saw 18V 5Ah (battery and charger sold separately)		 Individual part weight: 2.72 Kg Cutting capacities: Wood = 200 mm / Metal = 20 mm Strokes per minute: 3100 Stroke length: 29 Electric brake quickly stops the blade rotation when the trigger is released LED work light with pre-light and afterglow Variable-Speed Trigger Switch Strokes per minute: 3100 Electric brake quickly stops the blade rotation when the trigger is released LED work light with pre-light and afterglow Variable-Speed Trigger Switch Complete your tool with Battery (VLC7262) and Battery Charger (VLC1071)
LA1933	Cordless reciprocating saw 18V 5Ah (battery and charger sold separately)		 Individual part weight: 1.78g Cutting capacities: Wood = 160 mm / Metal = 16 mm Stroke length: 25 Strokes per minute: 3100 Electric brake quickly stops the blade rotation when the trigger is released LED work light with pre-light and afterglow Variable-Speed Trigger Switch Complete your tool with Battery (VLC7262) and Battery Charger (VLC1071)



Tel: +44 (0)1392 684000 www.vapormatic.com

UK Sales: Sales@vapormatic.com

Export Sales: VapormaticSales@vapormatic.com

New Product Update & Parts Information

Bulletin	UK	Export	Issued
1481	YES	NO	

Part No	Part	Image	Technical Specifications	
<u>VLA1934</u>	Cordless reciprocating saw 18V 5Ah (includes 2 batteries and 1 charger) + bag M7		 Packaged weight: 5.6 Kg Cutting capacities: Wood = 160 mm / Metal = 16 mm Stroke length: 25 Strokes per minute: 3100 Electric brake quickly stops the blade rotation when the trigger is released LED work light with pre-light and afterglow Variable-Speed Trigger Switch 	

Sanders

Part No	Part	Image	Technical Specifications
<u>VLA1931</u>	Battery sander 18V 125mm (battery and charger sold separately)		 Individual part: 1.40 Kg RPM: 125 7000 − 11000 Number of holes 8 Compatible abrasive disc: 8-hole velcro paper Ø 125 mm The speed trigger allows to adapt the speed to the type of surface or the work that needs to be done. Dust collection bag Soft start function Ergonomic handle for more comfort and control Complete your tool with Battery (VLC7262) and Battery Charger (VLC1071)
<u>VLA1932</u>	Cordless Orbital Sander (includes 2 batteries and 1 charger)	10 to	Packaged weight: 3.55 Kg

Circular Saw

Part No	Part	Image	Technical Specifications
<u>VLA1935</u>	Cordless circular saw 18V 5Ah (battery and charger sold separately)		 Individual part weight: 3.38 Kg No load speed: 4500 Shank opening: 185 Spindle size: 20 Cutting capacity: 45°: 46 mm / 90°: 60.5 mm Bevel capacity: 0 – 56 Heavy duty, light and durable aluminium base Ergonomic design with soft grip handles for comfort and control Electric brake quickly stops the blade rotation when the trigger is released LED to illuminate the work area Complete your tool with Battery (VLC7262) and Battery Charger (VLC1071)



Tel: +44 (0)1392 684000 www.vapormatic.com

UK Sales: Sales@vapormatic.com

Export Sales: VapormaticSales@vapormatic.com

New Product Update & Parts Information

Bulletin	UK	Export	Issued
1481	YES	NO	

Part No	Part	Image	Technical Specifications
<u>VLA1936</u>	Cordless Circular Saw (includes 2 batteries and 1 charger and 1 fabric toolbag)		 Packaged weight: 5.56 Kg No load speed: 4500 Shank opening: 185 Spindle size: 20 Cutting capacity: 45°: 46 mm / 90°: 60.5 mm Bevel capacity: 0 – 56 Heavy duty, light and durable aluminium base Ergonomic design with soft grip handles for comfort and control Electric brake quickly stops the blade rotation when the trigger is released

Jig Saw

Part No	Part	Image	Technical Specifications
<u>VLA1928</u>	Cordless jigsaw 18V 5Ah (battery and charger sold separately)		 Individual part weight 1.79Kg Cutting capacities: Aluminium: 9.53 mm / Wood: 63.5mm /Steel: 6.35mm Strokes per minute: 2200 Stroke length: 25.4 Speed variator trigger for precise speed control 4-Position orbital action for smooth cutting in a variety of materials. Electric brake quickly stops the blade rotation when the trigger is released Adjustable base beveling from 0 - 45 degrees (left/right) Compatible with "T" and "U" shank Jigsaw blades (not included) Ideal for sawing wood, aluminium and steel LED to illuminate the work area Storage of the blades in the base of the saw Complete your tool with Battery (VLC7262) and Battery Charger (VLC1071)
VLA1929	Cordless Jig Saw (includes 2 batteries and 1 charger)		



Tel: +44 (0)1392 684000 www.vapormatic.com

UK Sales: Sales@vapormatic.com

Export Sales: VapormaticSales@vapormatic.com

New Product Update & Parts Information

Bulletin	UK	Export	Issued
1481	YES	NO	

Lighting

Part No	Part	Image	Technical Specifications
<u>VLC6222</u>	Cordless LED Floodlight (850 lm)		 Individual part weight: 0.46 Kg Brightness (lumens): 450/550/850 Battery life (hours): (10-20) Colour temperature (*kelvin): (3800-4000) 3 light modes: 180°: 450 Lumens (18 hours) 360° Low Light: 550 lumens (20 hours)

To see the M7 Page for more information, click here



All Vapormatic quality replacement parts carry an industry leading **12 month parts and labour** warranty. For further information on specific items please visit www.vapormatic.com