



POWER RANGE  
**m7 18V**   
>> 5Ah



YOUR TAILOR-MADE POWERTOOLS DISPLAY CONCEPTS

Distributed by



**VAPORMATIC**



# POWER RANGE

## m7 18V

### >> 5Ah

### M7 Power Tools: Expertise and Know-How

At Vapormatic we are introducing a range of 14 Cordless Power Tools all compatible with ONE single battery.

### Built to Last:

Comes with 3-year warranty on the tool body and 1 year on the batteries and chargers. High-quality scientifically tested tools with rigorous quality check and advanced engineering that will deliver the performance and ensure reliability.

### Professional-Grade Quality:

With powerful motors and durable construction, these power tools are the perfect choice for professionals who need tools they can rely on day after day.

### Versatile and Adaptable:

Designed to excel in a wide range of tasks. From cutting and drilling to sanding and grinding, our tools offer the power and flexibility needed to handle any job effortlessly.

### Great Value:

Experience unmatched performance with M7 power tools, engineered with cutting-edge technology and precision craftsmanship for optimal results. Invest in our tools for long-lasting reliability and the confidence to achieve remarkable outcomes in any project.

### Customer Satisfaction:

M7 ensures customer satisfaction through surveys, reviews, and comprehensive warranties, striving to exceed expectations and earn trust.



### 813Nm / 18V

Part no.  
**VLC7262**

BATTERY MADE BY SAMSUNG SDI CELL

**QUICK CHARGING TIME 50 MINUTES**  
A fully discharged battery will fully charge in 50 minutes at an ambient temperature between 0 °C and 40 °C.

**BATTERY CHARGE LEVEL LED INDICATOR**

	80% - 100% charged		Less than 20% charged
	60% - 80% charged		Completely discharged (Flashing LED)
	40% - 59% charged		High / Low temperature (Flashing LED)
	20% - 39% charged		



**SANYO LITHIUM-ION BATTERY CELLS**

- Charging faster than a standard battery.
- No memory effect.
- Longer life.
- No loss of power.
- Lighter.

Part no.  
**VLC1071**

**SMART CHARGER** supplied with 3 pin adapter



**TOO HIGH OR TOO LOW TEMPERATURE**  
Charge between 0°C and 40°C  
Red LED on  
Green LED off

**BATTERY CHARGING**  
Fast charge (50 minutes)  
Red LED off  
Green LED flashing

**DEFFECTIVE BATTERY OR CHARGER**  
Red LED flashing  
Green LED off

**CHARGING DONE**  
Red LED off  
Green LED on

**BRUSHLESS MOTOR**



EXCEPT:  
VLA1924 (VLA1925)  
VLA1713 (VLA1714)

- No friction between the carbon brushes and the manifold (no more sparks at the engine outlet).
- Reduces the heat produced and therefore increases the life of the motor
- No friction to preserve the energy produced by the engine
- Longer battery life • Less wear parts

**1/2"**

**BRUSHLESS MOTOR**



**813Nm / 18V**

Part no. **VLA1715** (does not include battery or charger)

**CORDLESS COMPACT IMPACT WRENCH**

3 levels of power for better machine control  
3 auto-stop modes to limit the tightening torque during assembly work

Instant stop when the trigger is released: prevents damage to the object and secures the user

LED to illuminate the work area  
Detachable belt hook

ALSO AVAILABLE AS A SET

**1/2" 5Ah / 18V**

Part no. **VLA1716**

**CORDLESS COMPACT IMPACT WRENCH SET**

- 1 x Cordless 1/2" compact impact wrench (VLA1715)
- 2 x 5Ah batteries (VLC7262)
- 1 x charger (VLC1071)



**1/2"**



**1220Nm / 18V**

Part no. **VLA1713** (does not include battery or charger)

**CORDLESS IMPACT WRENCH**

Instantly stops when the trigger is released: to avoid damage to the work piece and for user safety

In-built LED light

Forward/reverse selector on the sides

ALSO AVAILABLE AS A SET

**1/2" 5Ah / 18V**

Part no. **VLA1714**

**CORDLESS IMPACT WRENCH SET**

- 1 x Cordless 1/2" impact wrench (VLA1713)
- 2 x 5Ah batteries (VLC7262)
- 1 x charger (VLC1071)



**3/4"**

**BRUSHLESS MOTOR**



**1900Nm / 18V**

Part no. **VLA1717** (does not include battery or charger)

**CORDLESS IMPACT WRENCH**

3 levels of power for better machine control  
The Motor part is connected to the handle by anti-vibration silent blocks

Instant stop when the trigger is released: prevents damage to the object and secures the user

LED to illuminate the work area

ALSO AVAILABLE AS A SET

**3/4" 5Ah / 18V**

Part no. **VLA1718**

**CORDLESS IMPACT WRENCH SET**

- 1 x Cordless 3/4" impact wrench (VLA1717)
- 2 x 5Ah batteries (VLC7262)
- 1 x charger (VLC1071)



Battery power	Square drive	Bolt size	Max. Torque	Free speed	Blows frequency	Weight	
Ah - V	Inch	mm	Nm	R.P.M	Blows per minutes	kg	
					<b>bpm</b>		
VLA1715	5 Ah - 18 V	1/2"	M6-M16	813	1100 / 1600 / 2200	1500 / 2500 / 3000	1.48
VLA1713	5 Ah - 18 V	1/2"	M6-M24	1220	1900	2200	2.53
VLA1717	5 Ah - 18 V	3/4"	M10-M27	1900	900 / 1000 / 1700	1800 / 2000 / 2200	3.37



**BRUSHLESS MOTOR**



**90 Nm / 18V**

Part no. **VLA1719** (does not include battery or charger)

**CORDLESS DRILL DRIVER**

Brushless motor.

Jacobs® metal chuck (self-tightening and self-locking).

23 release positions + a drilling position.

2 Speeds: Low / High.

Impulse function, ideal for drilling on a painted surface and to replace damaged screws.

Work LED on the base with residual lighting.

Removable bit holder and belt hook.

1 side handle (not shown).

ALSO AVAILABLE AS A SET

**5Ah / 18V**

Part no. **VLA1720**

**CORDLESS COMPACT IMPACT WRENCH SET**

- 1 x Cordless drill driver (VLA1719)
- 1 x side handle
- 2 x 5Ah batteries (VLC7262)
- 1 x charger (VLC1071)



**HAMMER DRILL**

**BRUSHLESS MOTOR**



**90 Nm / 18V**

Part no. **VLA1722** (does not include battery or charger)

**CORDLESS HAMMER DRILL DRIVER**

Brushless motor.

Jacobs® metal chuck (self-tightening and self-locking).

24+1 Release positions.

3 modes: Screwdriver / Drill / Hammer drill.

2 Speeds: Low / High.

Impulse function, ideal for drilling on a painted surface and to replace damaged screws.

Work LED on the base with residual lighting.

Removable bit holder and belt hook.

1 side handle.

ALSO AVAILABLE AS A SET

**5Ah / 18V**

Part no. **VLA1721**

**CORDLESS COMPACT IMPACT WRENCH SET**

- 1 x Cordless drill driver (VLA1722)
- 1 x side handle
- 2 x 5Ah batteries (VLC7262)
- 1 x charger (VLC1071)



THE PERKS :  
- LED STRIPS  
- 3 SPEEDS

**BRUSHLESS MOTOR**



**203 Nm / 18V**

Part no. **VLA1724** (does not include battery or charger)

**CORDLESS IMPACT DRIVER**

Brushless motor.

3 speeds selection (for more precision).

Automatic shut-off function, reducing the risk of overloading and material damage.

Circular LED strips at the tip for better visibility of the work area.

ALSO AVAILABLE AS A SET

**5Ah / 18V**

Part no. **VLA1725**

**CORDLESS COMPACT IMPACT WRENCH SET**

- 1 x Cordless Impact Driver (VLA1724)
- 2 x 5Ah batteries (VLC7262)
- 1 x charger (VLC1071)



	Battery power	Drilling capacity	Chuck diameter	Bolt size	Blows frequency	Tightening control	Max. Torque	Free speed	Weight
	Ah - V	mm	mm	mm	Blows per minutes		Nm	R.P.M	kg
					bpm				
VLA1719	5 Ah - 18 V	Wood : 60 Metal : 13	13	-	-	23+1	90	0 - 500 0 - 2000	1.37
VLA1722	5 Ah - 18 V	Wood : 60 Metal : 13	13	-	0 - 6500 0 - 24000	25	90	0 - 450 0 - 1750	1.45
VLA1724	5 Ah - 18 V	-	6	M12	0 - 1200 0 - 2350 0 - 3300	-	203	0 - 1100 0 - 1900 0 - 2800	1.28



**Ø125mm / 18V**

Part no.

**VLA1924**

(does not include battery or charger)

**CORDLESS ANGLE GRINDER**

The protection casing can be adjusted easily and without tools.

Axis locking button to change the disc easily.

2 positions handle.

On/off button, choice between continuous grinding or jolt grinding.



Consumables sold separately

ALSO AVAILABLE AS A SET

**5Ah / 18V**

Part no.

**VLA1925**

**CORDLESS ANGLE GRINDER SET**

- 1 x Cordless angle grinder (VLA1924)
- 1 x adjustable protection casing
- 1 x side handle
- 2 x 5Ah batteries (VLC7262)
- 1 x charger (VLC1071)



	Battery power	Disc diameter	Thread	Free speed	Length	Weight
	Ah - V	mm	mm	R.P.M	mm	kg
VLA1924	5 Ah - 18 V	125	M14	8000	285	1.46
VLA1926	5 Ah - 18 V	125	M14 x P2.0	8000	285	1.48

**BRUSHLESS MOTOR**

THE PERKS :  
- DEAD MAN SAFETY  
- 6-SPEED VARIATOR



SPEED VARIATOR



**Ø125mm / 18V**

Part no.

**VLA1926**

(does not include battery or charger)

**CORDLESS ANGLE GRINDER**

Spindle lock button for easy disc change.

2-position on/off switch button (continuous on or "dead man's").

Speed variator: 6 speeds.

3 positions handle.

The protection casing can be adjusted easily and without tools.

The brushless motor heats less, is more efficient and lasts longer.

The brushless motor is electronically managed, which improves the responsiveness of the Angle grinder when starting and stopping.

Consumables sold separately

ALSO AVAILABLE AS A SET

**5Ah / 18V**

Part no.

**VLA1927**

**CORDLESS ANGLE GRINDER SET**

- 1 x Cordless angle grinder (VLA1926)
- 1 x adjustable protection casing
- 1 x side handle
- 2 x 5Ah batteries (VLC7262)
- 1 x charger (VLC1071)



**Ø125mm / 3mm 18V**

Part no.

**VLA1931**

(does not include battery or charger)

**CORDLESS ORBITAL SANDER**

Compatible abrasive disc: 8-hole velcro paper Ø 125 mm.

Speed variator: 6 speeds.

Dust collection bag.

The speed trigger allows to adapt the speed to the type of surface or the work that needs to be done.

Soft start function.

Ergonomic handle for more confort and control.



Consumables sold separately

ALSO AVAILABLE AS A SET

**5Ah / 18V**

Part no.

**VLA1932**

**CORDLESS ORBITAL SANDER SET**

- 1 x orbital sander (VLA1931)
- 1 x dust collection bag
- 2 x 5Ah batteries (VLC7262)
- 1 x charger (VLC1071)
- 1 x Fabric tool box



	Battery power	Disc diameter	Free speed	Orbit	Length	Weight
	Ah - V	mm	R.P.M	mm	mm	kg
VLA1931	5 Ah - 18 V	125	7000 - 11000	3.0	300	1.23



**18V**

Part no.

**VLA1930**

(does not include battery or charger)

**CORDLESS RECIPROCATING SAW**

Brushless motor.

Electric brake quickly stops the blade rotation when the trigger is released.

LED work light with pre-light and afterglow.

Bevel Gear Drive System.

Tool-less Blade Change.

Variable-Speed Trigger Switch.

Adjustable shoe length and inclination.

Selector Lever: straight cutting action / orbital cutting action.

This reciprocating saw has the option of orbit action to make the blade swing slightly as it cuts, for a maximum cutting efficiency.



**BRUSHLESS MOTOR**

Consumables sold separately

- THE PERKS :**
- 1 HAND WORK
  - COMPACT : 336MM (W/O BATTERY)
  - LIGHT : 1,78KG

**18V**

Part no.

**VLA1933**

(does not include battery or charger)

**CORDLESS COMPACT RECIPROCATING SAW**

Brushless motor

Electric brake quickly stops the blade rotation when the trigger is released

LED work light with pre-light and afterglow

Safety locking button

Tool-less Blade Change.

Consumables sold separately

**BRUSHLESS MOTOR**

ALSO AVAILABLE AS A SET

**5Ah / 18V**

Part no.

**VLA1934**

**CORDLESS COMPACT RECIPROCATING SAW SET**

- 1 x Cordless Compact Reciprocating Saw (VLA1933)
- 2 x 5Ah batteries (VLC7262)
- 1 x Charger (VLC1071)
- 1 x Fabric tool box

	Battery power Ah - V	Cutting capacities mm	Stroke length mm	Strokes per minute S.P.M	Length mm	Weight kg
VLA1930	5 Ah - 18 V	Wood : 200 Metal : 20	29	3100	410	2.7
VLA1933	5 Ah - 18 V	Wood : 160 Metal : 16	25	3100	336	1.78



**580 lm / 18V**

Part no.

**VLC6222**

(does not include battery or charger)

**CORDLESS LED FLOODLIGHT**

360° Cordless LED Floodlight

3 Light Modes:

- 180° : 450 Lumens (18 hours)
- 360° Low Light : 550 lumens (20 hours)
- 360° Max power : 850 lumens (10 hours)

	Dimensions (sans batterie) mm	Brightness lm	Color temperature Kelvin	Battery life hours	Weight kg
VLC6222	75 x 270 x 80	450 / 550 / 850	3800 - 4000	10 - 20	0.44



Cutting angle until 45°



**18V**  
Part no. **VLA1928** (does not include battery or charger)

**CORDLESS JIG SAW**

Speed variator trigger for precise speed control.  
Electric brake quickly stops the blade rotation when the trigger is released.  
Compatible with "T" and "U" shank Jigsaw blades (not included).  
Adjustable base beveling from 0 - 45 degrees (left/right).  
4-Position orbital action for smooth cutting in a variety of materials.  
LED to illuminate the work area.  
Ideal for sawing wood, aluminum and steel.  
Storage of the blades in the base of the saw.

Consumables sold separately

ALSO AVAILABLE AS A SET

185 MM

Cutting angle 45° or 90°



**BRUSHLESS MOTOR**

**18V**  
Part no. **VLA1735** (does not include battery or charger)

**CORDLESS CIRCULAR SAW**

Heavy duty, light and durable aluminum base.  
Ergonomic design with soft grip handles for comfort and control.  
Electric brake quickly stops the blade rotation when the trigger is released.  
LED to illuminate the work area..

Consumables sold separately

ALSO AVAILABLE AS A SET

**5Ah / 18V**  
Part no. **VLA1929**

**CORDLESS JIG SAW SET**

- 1 x Cordless jig saw (VLA1928)
- 2 x 5Ah batteries (VLC7262)
- 1 x charger (VLC1071)
- 1 x Fabric tool box



**5Ah / 18V**  
Part no. **VLA1736**

**CORDLESS CIRCULAR SAW SET**

- 1 x Cordless circular saw (VLA1935)
- 2 x 5Ah batteries (VLC7262)
- 1 x charger (VLC1071)
- 1 x Fabric tool box



	Battery power	Free speed	Shank Opening	Spindle size	Capacité de coupe	Cutting Capacity 45°	Cutting Capacity 90°	Bevel Capacity	Strokes per minute	Stroke length	Length	Weight
	Ah - V	RPM	mm	mm	mm	mm	mm	degrees	S.P.M	mm	mm	kg
						45°	90°		S.P.M			
VLA1928	5 Ah - 18 V	-	-	-	Wood : 63.5 Aluminium : 9.53 Steel : 6.35	-	-	-	2200	-	226	2.7
VLA1935	5 Ah - 18 V	4500	185	20	-	46	60.5	0 - 56	-	25.4	330	3.63

Battery power	Chuck diameter	Chuck size	Bolt size	
Ah - V	mm	mm	mm	
VLA1723	2 Ah - 12 V	-	1/4"	
Max. Torque	Free speed	Blows frequency	Length	Weight
Nm	R.P.M	Blows per minutes	mm	kg
		bpm		
100	0-2200	0-3000	-	1.0

**2Ah / 1 kg**  
Part no. **VLA1723**

**CORDLESS IMPACT DRIVER**

Quick charge takes 30 minutes 2 x batteries and charger included. LED to light up the work area.







POWER RANGE

**m7 18V** 

**>>> 5Ah**



Part no.  
**VLA1724**  
**CORDLESS**  
**IMPACT DRIVER**

Part no.  
**VLC7262**  
**BATTERY**  
MADE BY SAMSUNG SDI CELL

[www.vapormatic.com](http://www.vapormatic.com)

The Vapormatic Co. Ltd.  
Publication No.: PEA3037

9/23  
© The Vapormatic Co. Ltd.

Whilst specifications are considered to be correct at the date of printing, we reserve the right to change specifications without prior notification. E. & O. E. Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to suggest that our replacement parts are made by the original equipment manufacturer.

Distributed by

